

Survey of Variables with the ILMT

Baldeep GREWAL^{1,*}, Bhavya AILAWADHI^{2,3}, Talat AKHUNOV^{4,5}, Ermanno BORRA⁶,
Monalisa DUBEY^{2,7}, Naveen DUKIYA^{2,7}, Jiuyang FU¹, Paul HICKSON¹, Kuntal MISRA²,
Brajesh KUMAR², Vibhore NEGI^{2,3}, Kumar PRANSHU^{2,8}, Ethen SUN¹ and Jean SURDEJ⁹

¹ Department of Physics and Astronomy, University of British Columbia, 6224 Agricultural Road, Vancouver, BC V6T 1Z1, Canada

² Aryabhata Research Institute of Observational sciences (ARIES), Manora Peak, Nainital, 263001, India

³ Department of Physics, Deen Dayal Upadhyaya Gorakhpur University, Gorakhpur, 273009, India

⁴ National University of Uzbekistan, Department of Astrophysics, 100174 Tashkent, Uzbekistan

⁵ Ulugh Beg Astronomical Institute of the Uzbek Academy of Sciences, Astronomicheskaya 33, 100052 Tashkent, Uzbekistan

⁶ Department of Physics, Université Laval, 2325, rue de l'Université, Québec, G1V 0A6, Canada

⁷ Department of Applied Physics, Mahatma Jyotiba Phule Rohilkhand University, Bareilly, 243006, India

⁸ Department of Applied Optics and Photonics, University of Calcutta, Kolkata, 700106, India

⁹ Institute of Astrophysics and Geophysics, University of Liège, Allée du Six-Août 19c, 4000 Liège, Belgium

* Corresponding author: grewal.16@hotmail.com

This work is distributed under the Creative Commons CC-BY 4.0 Licence.

Paper presented at the 3rd BINA Workshop on “Scientific Potential of the Indo-Belgian Cooperation”, held at the Graphic Era Hill University, Bhimtal (India), 22nd–24th March 2023.

Abstract

Nestled in the mountains of Northern India is a 4-meter rotating dish of liquid mercury. Over a 10-year period, the International Liquid Mirror Telescope (ILMT) will survey 117 square degrees of sky, to study the astrometric and photometric variability of all detected objects. One of the scientific programs will be a survey of variable stars. The data gathered will be used to construct a comprehensive catalog of light curves. This will be an essential resource for astronomers studying the formation and evolution of stars, the structure and dynamics of our Milky Way galaxy, and the properties of the Universe as a whole. This catalog will be an aid in our advance to understanding the cosmos and provide deeper insights into the fundamental processes that shape our Universe. In this work, we describe the survey and give some examples of variable stars found in the early commissioning data from the ILMT.

Keywords: variable stars, survey, liquid mirror

1. Introduction

Variable stars are of fundamental importance to many areas of astronomy, including distance measurements, stellar structure and evolution, studies of compact objects, and close binary systems. Variables are any class of object whose brightness changes with time; some exhibit periodicity while others do not. Periodic variables are especially important because the prediction of their magnitudes can be known in the future. Variable objects, such as stars, eclipsing binaries, pulsators, and novae are scattered throughout the night sky. They provide valuable information on the evolution and nature of stars in our Milky Way. Cepheids and RR Lyrae serve as standard candles, where distances can be calculated once their absolute magnitude is known. Cepheid Variables provide crucial information in determining distances and the age of the universe. Studies of accretion disks in cataclysmic variables (CVs) can help understand activity inside active galaxies with supermassive black holes. Studies of variable stars (e.g. Pietrukowicz et al., 2009) have the potential to illuminate many areas of astrophysics.

In northern India, Devasthal Peak ($79^{\circ}41'04''$ E, $29^{\circ}21'40''$ N) at an altitude of 2450 m, hosts several optical facilities including the 4-m, zenith-pointing, International Liquid Mirror Telescope (ILMT, Surdej et al., 2018). The ILMT is dedicated to performing a broad-band photometric survey with a focus on variability studies. This unique telescope employs a rotating mirror that uses liquid mercury as its reflecting surface. The mirror rotates with a period of 8.02 s, which is controlled to an accuracy of a few parts per million. It images the region of sky passing overhead onto a 4096×4096 -pixel charge-coupled device (CCD) that operates in time-delay integration mode (Gibson and Hickson, 1992). This allows it to obtain near-continuous imaging of the sky passing overhead, with an integration time of 102.4 s (the time taken for an astronomical object to cross the CCD due to the rotation of the Earth). A five-element optical corrector removes both telescope distortion and star-trail curvature. The telescope has a $22.4' \times 22.4'$ field of view and is equipped with Sloan Digital Sky Survey (SDSS) g' , r' , and i' filters (Kumar et al., 2022). The main scientific objectives of the ILMT are studies of astrometric and photometric variability of all detectable objects in the 117 square degrees of sky accessible to the telescope.

2. Observations and Analysis

The All-Sky Automated Survey for Supernovae (ASAS-SN) catalog of variable stars (Christy et al., 2023) is a useful starting point for variable star studies. From the data available on the ASAS-NS website, a sub-catalog was created that contains data for all objects within the ILMT survey area. The main selection criteria for the objects selected was that they are in the field of view of the ILMT. Variable stars with long and short periods are considered. With the long-term observations of the ILMT, enough data can be collected spanning multiple periods. Objects were grouped according to the types of variable: Cepheids, RR Lyrae, Mira, Rotational, Eclipsing Binaries, and Semi-Regular/Irregular. The sub-catalog data are in the form of comma-separate variable (CSV) files, with fields (i) ASAS-SN name, (ii) right ascension (J2000), (iii) declination (J2000), and (iv) *Gaia* G magnitude. These files were then converted to FITS format using Astropy. An example of the CSV file is showcased in Fig. 1.

ID	ra	dec	Gaia G Mag
J004429.91+291941.1	11.12462474	29.32809117	16.25
J002232.91+293257.0	5.63712211	29.54917354	15.05
J002906.85+292916.4	7.2785523	29.48787514	14.09
...
J211616.43+293207.4	319.06845539	29.53538612	13.42
J212337.73+291235.9	320.90722874	29.20996739	13.7
J202846.49+291810.5	307.19369931	29.30291061	11.27

Figure 1: Concise table showcasing the structure of the CSV file. This is for all the stars that are in the ILMTs imaging area.

The observational data consisted of images obtained on November 1 and 2, 2022, along with images in early March 2023, during its commissioning phase. Figure 2 showcases the ILMTs imaging abilities which were taken during this early commissioning phase. Although this is a small sample, it is sufficient to allow the analysis techniques to be developed and the performance investigated. These images were pre-processed and an initial astrometric and photometric calibration was performed based on *Gaia* stars in the field. The typical astrometric accuracy is 0.3 arcsec and the photometric accuracy ranges from 0.05 to 0.10 magnitude, on clear nights.

The Python photometry program SunPhot (Sun et al., 2024) was then used to extract the magnitude of the cataloged objects present in the ILMT images. The right ascension and declination of the stars in the catalog were matched to the calibrated ILMT science images. Once an object has been found, a circular aperture, centered on the object, and a concentric annulus was defined. The purpose of the annulus is to calculate the local background around the star. The median intensity within the annulus provides an estimate of the sky background, which was then subtracted from each pixel in the aperture to compute the object’s flux. The fluxes were then converted to magnitudes using the photometric zero point derived from the *Gaia* stars in the image.

3. Results

There are 417 known variable stars in the ILMT field of view. In our limited data set, 23 RR Lyrae variables were observed, out of a total number of 69 in the full ILMT survey area. These variables typically have periods of 0.2 to 2 days and will be undersampled by the 1-day cadence of the ILMT. Nevertheless, for periodic variables, a light curve can be built up from many nights of observations, by folding the data at the period of the variable. This procedure can also be used to determine the period, by minimizing the spread of values in the folded data. As an example, Fig. 3 shows measurements of an RR Lyrae star that has a period of



Figure 2: Example image from one night of ILMT observations. This image was taken during the night of October 31, 2022.

0.541 days. Although, more data are needed to produce a robust phase plot and reliably estimate the photometric uncertainties. Nevertheless, Fig. 3 showcases that the ILMT can provide a phase plot even for variables whose period is shorter than one day. One, therefore, expects little change in magnitude when the star is observed by the ILMT on the next night, 0.997 days (one sidereal day) later, as the star is seen at nearly the same phase. However daily observations over a week sample the full range of phase, and additional observations will improve the sampling of the folded light curve (Fig. 3b).

There are a total of 73 rotational variables in the ILMT survey area, 31 of which have been observed so far. These rotational variables present an excellent opportunity to investigate the surface characteristics of stars by examining the temporal variations in their brightness. Furthermore, there are 11 Mira variables and only one has been observed to date.

The last type of variable in this study are Semi-Regular/Irregular stars. These show variation changes on timescales of months to years that do not appear to be periodic. Currently, 40 have been observed by the ILMT, out of a total of 73 in the full survey area.

4. Discussion

Cepheid variables have long been used for distance measurements by virtue of their period-luminosity (PL) relationship. ILMT observations can in principle provide high-accuracy period




Figure 3: RR Lyrae variable ASASSN-V J140021.26+292506.1 (UU CVn), observed in the March 2023 ILMT data. Reference Epoch 2460018 JD. (a) Observed light curve. This star has a pulsation period of 0.541 days (Gaia Collaboration et al., 2016; Gaia Collaboration, 2018). When sampled by the ILMT with a period of 1 sidereal day, the accumulated phase difference is 0.94 over the 7-day interval shown. (b) Light curve obtained by folding the data at the 0.541 period.

measurements. Combined with *Gaia* parallaxes, this will allow uncertainties in the PL relation to be reduced. RR Lyrae stars follow a period-color-luminosity relationship and can thus serve as independent distance indicators. They are less bright than Cepheids, but they can still be useful indicators for determining the distances to nearby galaxies.

The ILMT has the potential to detect Cepheids and RR Lyrae variables at significant distances, but the actual detection limits depend on multiple factors, such as the intrinsic brightness of the star and the observing conditions.

As the ILMT is still in the commissioning stage, the amount of data available at this time is limited but growing steadily. Improvements to the telescope alignment and mirror balance have resulted in image quality that is now approaching 1.4 arcsecs (full width at half maximum intensity). Further improvement is expected as the team gains experience with the telescope and its systems. We have demonstrated the performance of the ILMT, and expect that the survey conducted with it will be a useful resource for studies of variable stars, galaxies, quasars, and gravitational lenses.

Acknowledgments

The 4 m International Liquid Mirror Telescope (ILMT) project results from a collaboration between the Institute of Astrophysics and Geophysics (University of Liège, Belgium), the Universities of British Columbia, Laval, Montreal, Toronto, Victoria and York University, and the Aryabhata Research Institute of observational sciences (ARIES, India). The authors thank Hitesh Kumar, Himanshu Rawat, Khushal Singh and other observing staff for their assistance at the 4m ILMT. The team acknowledges the contributions of ARIES's past and present sci-

entific, engineering and administrative members in the realisation of the ILMT project. J.S. wishes to thank the Service Public de Wallonie, F.R.S.–FNRS (Belgium) and the University of Liège, Belgium for funding the construction of the ILMT. P.H. acknowledges financial support from the Natural Sciences and Engineering Research Council of Canada, RGPIN-2019-04369. P.H. and J.S. thank ARIES for hospitality during their visits to Devasthal. B.A. acknowledges the Council of Scientific & Industrial Research (CSIR) fellowship award (09/948(0005)/2020-EMR-I) for this work. M.D. acknowledges Innovation in Science Pursuit for Inspired Research (INSPIRE) fellowship award (DST/INSPIRE Fellowship/2020/IF200251) for this work. This work is supported by the Belgo-Indian Network for Astronomy and astrophysics (BINA), approved by the International Division, Department of Science and Technology (DST, Govt. of India; DST/INT/BELG/P-09/2017) and the Belgian Federal Science Policy Office (BELSPO, Govt. of Belgium; BL/33/IN12)

Further Information

Authors' ORCID identifiers

0009-0000-1020-9711 (Bhavya AILAWADHI)

0000-0001-5115-6310 (Talat AKHUNOV)

0000-0003-4723-7614 (Ermanno BORRA)

0009-0002-2621-6611 (Monalisa DUBEY)

0000-0002-0394-6745 (Naveen DUKIYA)

0009-0006-1895-7048 (Jiuyang FU)

0000-0002-8289-8242 (Paul HICKSON)

0000-0001-7225-2475 (Brajesh KUMAR)

0000-0003-1637-267X (Kuntal MISRA)

0000-0001-5824-1040 (Vibhore NEGI)

0009-0005-3844-3426 (Kumar PRANSHU)

0000-0003-3098-5835 (Ethen SUN)

0000-0002-7005-1976 (Jean SURDEJ)

Author contributions

This work results from a long-term collaboration in which all authors have made significant contributions.

Conflicts of interest

The authors declare no conflict of interest.

References

- Christy, C. T., Jayasinghe, T., Stanek, K. Z., Kochanek, C. S., Thompson, T. A., Shappee, B. J., Holoiien, T. W. S., Prieto, J. L., Dong, S. and Giles, W. (2023) The ASAS-SN catalogue of variable stars X: discovery of 116 000 new variable stars using *G*-band photometry. *MNRAS*, 519(4), 5271–5287. <https://doi.org/10.1093/mnras/stac3801>.
- Gaia Collaboration (2018) Gaia DR2. VizieR On-line Data Catalog: I/345. <https://doi.org/10.26093/cds/vizier.1345>.
- Gaia Collaboration, Prusti, T., de Bruijne, J. H. J., Brown, A. G. A., Vallenari, A., Babusiaux, C., Bailer-Jones, C. A. L., Bastian, U., Biermann, M., Evans, D. W., Eyer, L., Jansen, F., Jordi, C., Klioner, S. A., Lammers, U., Lindegren, L., Luri, X., Mignard, F., Milligan, D. J., Panem, C., Poinson, V., Pourbaix, D., Randich, S., Sarri, G., Sartoretti, P., Siddiqui, H. I., Soubiran, C., Valette, V., van Leeuwen, F., Walton, N. A., Aerts, C., Arenou, F., Cropper, M., Drimmel, R., Høg, E., Katz, D., Lattanzi, M. G., O’Mullane, W., Grebel, E. K., Holland, A. D., Huc, C., Passot, X., Bramante, L., Cacciari, C., Castañeda, J., Chaoul, L., Cheek, N., De Angeli, F., Fabricius, C., Guerra, R., Hernández, J., Jean-Antoine-Piccolo, A., Masana, E., Messineo, R., Mowlavi, N., Nienartowicz, K., Ordóñez-Blanco, D., Panuzzo, P., Portell, J., Richards, P. J., Riello, M., Seabroke, G. M., Tanga, P., Thévenin, F., Torra, J., Els, S. G., Gracia-Abril, G., Comoretto, G., Garcia-Reinaldos, M., Lock, T., Mercier, E., Altmann, M., Andrae, R., Astraatmadja, T. L., Bellas-Velidis, I., Benson, K., Berthier, J., Blomme, R., Busso, G., Carry, B., Cellino, A., Clementini, G., Cowell, S., Creevey, O., Cuypers, J., Davidson, M., De Ridder, J., de Torres, A., Delchambre, L., Dell’Oro, A., Ducourant, C., Frémat, Y., García-Torres, M., Gosset, E., Halbwegs, J.-L., Hambly, N. C., Harrison, D. L., Hauser, M., Hestroffer, D., Hodgkin, S. T., Huckle, H. E., Hutton, A., Jasiewicz, G., Jordan, S., Kontizas, M., Korn, A. J., Lanzafame, A. C., Manteiga, M., Moitinho, A., Muinonen, K., Osinde, J., Pancino, E., Pauwels, T., Petit, J.-M., Recio-Blanco, A., Robin, A. C., Sarro, L. M., Siopis, C., Smith, M., Smith, K. W., Sozzetti, A., Thuillot, W., van Reeven, W., Viala, Y., Abbas, U., Abreu Aramburu, A., Accart, S., Aguado, J. J., Allan, P. M., Allasia, W., Altavilla, G., Álvarez, M. A., Alves, J., Anderson, R. I., Andrei, A. H., Anglada Varela, E., Antiche, E., Antoja, T., Antón, S., Arcay, B., Atzei, A., Ayache, L., Bach, N., Baker, S. G., Balaguer-Núñez, L., Barache, C., Barata, C., Barbier, A., Barblan, F., Baroni, M., Barrado y Navascués, D., Barros, M., Barstow, M. A., Becciani, U., Bellazzini, M., Bellei, G., Bello García, A., Belokurov, V., Bendjoya, P., Berihuete, A., Bianchi, L., Bienaymé, O., Billebaud, F., Blagorodnova, N., Blanco-Cuaresma, S., Boch, T., Bombrun, A., Borrachero, R., Bouquillon, S., Bourda, G., Bouy, H., Bragaglia, A., Breddels, M. A., Brouillet, N., Brüsemeister, T., Bucciarelli, B., Budnik, F., Burgess, P., Burgon, R., Burlacu, A., Busonero, D., Buzzzi, R., Caffau, E., Cambras, J., Campbell, H., Cancelliere, R., Cantat-Gaudin, T., Carlucci, T., Carrasco, J. M., Castellani, M., Charlot, P., Charnas, J., Charvet, P., Chassat, F., Chiavassa, A., Clotet, M., Coccozza, G., Collins, R. S., Collins, P., Costigan, G., Crifo, F., Cross, N. J. G., Crosta, M., Crowley, C., Dafonte, C., Damerджи, Y., Dapergolas, A., David, P., David, M., De Cat, P., de Felice, F., de Laverny, P., De Luise, F., De March, R., de Martino, D., de Souza, R., Debosscher, J., del Pozo, E., Delbo, M., Delgado, A., Delgado, H. E.,

di Marco, F., Di Matteo, P., Diakite, S., Distefano, E., Dolding, C., Dos Anjos, S., Drazinos, P., Durán, J., Dzigan, Y., Ecale, E., Edvardsson, B., Enke, H., Erdmann, M., Escolar, D., Espina, M., Evans, N. W., Eynard Bontemps, G., Fabre, C., Fabrizio, M., Faigler, S., Falcão, A. J., Farràs Casas, M., Faye, F., Federici, L., Fedorets, G., Fernández-Hernández, J., Fernique, P., Fienga, A., Figueras, F., Filippi, F., Findeisen, K., Fonti, A., Fouesneau, M., Fraile, E., Fraser, M., Fuchs, J., Furnell, R., Gai, M., Galleti, S., Galluccio, L., Garabato, D., García-Sedano, F., Garé, P., Garofalo, A., Garralda, N., Gavras, P., Gerssen, J., Geyer, R., Gilmore, G., Girona, S., Giuffrida, G., Gomes, M., González-Marcos, A., González-Núñez, J., González-Vidal, J. J., Granvik, M., Guerrier, A., Guillout, P., Guiraud, J., Gúrpide, A., Gutiérrez-Sánchez, R., Guy, L. P., Haignon, R., Hatzidimitriou, D., Haywood, M., Heiter, U., Helmi, A., Hobbs, D., Hofmann, W., Holl, B., Holland, G., Hunt, J. A. S., Hypki, A., Icardi, V., Irwin, M., Jevardat de Fombelle, G., Jofré, P., Jonker, P. G., Jorissen, A., Julbe, F., Karampelas, A., Kochoska, A., Kohley, R., Kolenberg, K., Kontizas, E., Koposov, S. E., Kordopatis, G., Koubisky, P., Kowalczyk, A., Krone-Martins, A., Kudryashova, M., Kull, I., Bachchan, R. K., Lacoste-Seris, F., Lanza, A. F., Lavigne, J.-B., Le Poncin-Lafitte, C., Lebreton, Y., Lebzelter, T., Leccia, S., Leclerc, N., Lecoeur-Taibi, I., Lemaitre, V., Lenhardt, H., Leroux, F., Liao, S., Licata, E., Lindstrøm, H. E. P., Lister, T. A., Livanou, E., Lobel, A., Löffler, W., López, M., Lopez-Lozano, A., Lorenz, D., Loureiro, T., MacDonald, I., Magalhães Fernandes, T., Managau, S., Mann, R. G., Mantelet, G., Marchal, O., Marchant, J. M., Marconi, M., Marie, J., Marinoni, S., Marrese, P. M., Marschalkó, G., Marshall, D. J., Martín-Fleitas, J. M., Martino, M., Mary, N., Matijević, G., Mazeh, T., McMillan, P. J., Messina, S., Mestre, A., Michalik, D., Millar, N. R., Miranda, B. M. H., Molina, D., Molinaro, R., Molinaro, M., Molnár, L., Moniez, M., Montegriffo, P., Monteiro, D., Mor, R., Mora, A., Morbidelli, R., Morel, T., Morgenthaler, S., Morley, T., Morris, D., Mulone, A. F., Muraveva, T., Musella, I., Narbonne, J., Nelemans, G., Nicastro, L., Noval, L., Ordénovic, C., Ordieres-Meré, J., Osborne, P., Pagani, C., Pagano, I., Pailler, F., Palacin, H., Palaversa, L., Parsons, P., Paulsen, T., Pecoraro, M., Pedrosa, R., Pentikäinen, H., Pereira, J., Pichon, B., Piersimoni, A. M., Pineau, F.-X., Plachy, E., Plum, G., Poujoulet, E., Prša, A., Pulone, L., Ragaini, S., Rago, S., Rambaux, N., Ramos-Lerate, M., Ranalli, P., Rauw, G., Read, A., Regibo, S., Renk, F., Reylé, C., Ribeiro, R. A., Rimoldini, L., Ripepi, V., Riva, A., Rixon, G., Roelens, M., Romero-Gómez, M., Rowell, N., Royer, F., Rudolph, A., Ruiz-Dern, L., Sadowski, G., Sagristà Sellés, T., Sahlmann, J., Salgado, J., Salguero, E., Sarasso, M., Saviotto, H., Schnorhk, A., Schultheis, M., Sciacca, E., Segol, M., Segovia, J. C., Segransan, D., Serpell, E., Shih, I.-C., Smareglia, R., Smart, R. L., Smith, C., Solano, E., Solitro, F., Sordo, R., Soria Nieto, S., Souchay, J., Spagna, A., Spoto, F., Stampa, U., Steele, I. A., Steidelmüller, H., Stephenson, C. A., Stoev, H., Suess, F. F., Süveges, M., Surdej, J., Szabados, L., Szegedi-Elek, E., Tapiador, D., Taris, F., Tauran, G., Taylor, M. B., Teixeira, R., Terrett, D., Tingley, B., Trager, S. C., Turon, C., Ulla, A., Utrilla, E., Valentini, G., van Elteren, A., Van Hemelryck, E., van Leeuwen, M., Varadi, M., Vecchiato, A., Veljanoski, J., Via, T., Vicente, D., Vogt, S., Voss, H., Votruba, V., Voutsinas, S., Walmsley, G., Weiler, M., Weingrill, K., Werner, D., Wevers, T., Whitehead, G., Wyrzykowski, Ł., Yoldas, A., Žerjal, M., Zucker, S., Zurbach, C., Zwitter, T., Alecu, A., Allen, M., Allende Prieto, C., Amorim, A., Anglada-Escudé, G., Arsenijević, V., Azaz,

- S., Balm, P., Beck, M., Bernstein, H.-H., Bigot, L., Bijaoui, A., Blasco, C., Bonfigli, M., Bono, G., Boudreault, S., Bressan, A., Brown, S., Brunet, P.-M., Bunclark, P., Buonanno, R., Butkevich, A. G., Carret, C., Carrion, C., Chemin, L., Chéreau, F., Corcione, L., Darmigny, E., de Boer, K. S., de Teodoro, P., de Zeeuw, P. T., Delle Luche, C., Domingues, C. D., Dubath, P., Fodor, F., Frézouls, B., Fries, A., Fustes, D., Fyfe, D., Gallardo, E., Gallegos, J., Gardiol, D., Gebran, M., Gomboc, A., Gómez, A., Grux, E., Gueguen, A., Heyrovsky, A., Hoar, J., Iannicola, G., Isasi Parache, Y., Janotto, A.-M., Joliet, E., Jonckheere, A., Keil, R., Kim, D.-W., Klagyivik, P., Klar, J., Knude, J., Kochukhov, O., Kolka, I., Kos, J., Kutka, A., Lainey, V., LeBouquin, D., Liu, C., Loreggia, D., Makarov, V. V., Marseille, M. G., Martayan, C., Martinez-Rubi, O., Massart, B., Meynadier, F., Mignot, S., Munari, U., Nguyen, A.-T., Nordlander, T., Ocvirk, P., O’Flaherty, K. S., Olias Sanz, A., Ortiz, P., Osorio, J., Oszkiewicz, D., Ouzounis, A., Palmer, M., Park, P., Pasquato, E., Peltzer, C., Peralta, J., Péturaud, F., Pieniluoma, T., Pigozzi, E., Poels, J., Prat, G., Prod’homme, T., Raison, F., Rebordao, J. M., Risquez, D., Rocca-Volmerange, B., Rosen, S., Ruiz-Fuertes, M. I., Russo, F., Sembay, S., Serraller Vizcaino, I., Short, A., Siebert, A., Silva, H., Sinachopoulos, D., Slezak, E., Soffel, M., Sosnowska, D., Straižys, V., ter Linden, M., Terrell, D., Theil, S., Tiede, C., Troisi, L., Tsalmantza, P., Tur, D., Vaccari, M., Vachier, F., Valles, P., Van Hamme, W., Veltz, L., Virtanen, J., Wallut, J.-M., Wichmann, R., Wilkinson, M. I., Ziaepour, H. and Zschocke, S. (2016) The *Gaia* mission. *A&A*, 595, A1. <https://doi.org/10.1051/0004-6361/201629272>.
- Gibson, B. K. and Hickson, P. (1992) Time–delay integration CCD read–out technique: image deformation. *MNRAS*, 258(3), 543–551. <https://doi.org/10.1093/mnras/258.3.543>.
- Kumar, B., Negi, V., Ailawadhi, B., Mishra, S., Pradhan, B., Misra, K., Hickson, P. and Surdej, J. (2022) Upcoming 4m ILMT facility and data reduction pipeline testing. *JApA*, 43(1), 10. <https://doi.org/10.1007/s12036-021-09795-3>.
- Pietrukowicz, P., Minniti, D., Fernández, J. M., Pietrzyński, G., Ruíz, M. T., Gieren, W., Díaz, R. F., Zoccali, M. and Hempel, M. (2009) Deep census of variable stars in a VLT/VIMOS field in Carina. *A&A*, 503(2), 651–662. <https://doi.org/10.1051/0004-6361/200912142>.
- Sun, E., Ailawadhi, B., Akhunov, T., Borra, E., Dubey, M., Dukiya, N., Fu, J., Grewal, B., Hickson, P., Kumar, B., Misra, K., Negi, V., Pranshu, K. and Surdej, J. (2024) SunPhot: Preparations for an upcoming quasar variability survey with the International Liquid Mirror Telescope. *BSRSL*, 93(2), 910–917. <https://doi.org/10.25518/0037-9565.11922>.
- Surdej, J., Hickson, P., Borra, H., Swings, J.-P., Habraken, S., Akhunov, T., Bartczak, P., Chand, H., De Becker, M., Delchambre, L., Finet, F., Kumar, B., Pandey, A., Pospieszalska, A., Pradhan, B., Sagar, R., Wertz, O., De Cat, P., Denis, S., de Ville, J., Jaiswar, M. K., Lampens, P., Nanjappa, N. and Tortolani, J.-M. (2018) The 4-m International Liquid Mirror Telescope. *BSRSL*, 87, 68–79. <https://doi.org/10.25518/0037-9565.7498>.