

## Annexe 1. Bibliographie

### Bagasse de canne à sucre (*Saccharum officinarum* L.)

- Brienzo M., Siqueira A. & Milagres A., 2009. Search for optimum conditions of sugarcane bagasse hemicellulose extraction. *Biochem. Eng. J.*, **46**(2), 199-204.
- Dogaris I. et al., 2009. Induction of cellulases and hemicellulases from *Neurospora crassa* under solid-state cultivation for bioconversion of sorghum bagasse into ethanol. *Ind. Crops Prod.*, **29**, 404-411.
- Merino S. & Cherry J., 2007. Progress and challenges in enzyme development for biomass utilization. *Adv. Biochem. Eng. Biotechnol.*, **108**, 95-120.
- Mok W. & Antal M., 1992. Uncatalyzed solvolysis of whole biomass hemicellulose by hot compressed liquid water. *Ind. Eng. Chem. Res.*, **31**, 1157-1161.
- Patzek T. & Pimentel D. 2005. Thermodynamics of energy production from biomass. *Crit. Rev. Plant Sci.*, **24**, 327-364.
- Pauly M. & Keegstra K., 2008. Cell-wall carbohydrates and their modification as a resource for biofuels. *Plant J.*, **54**, 559-568.
- Saha B., 2003. Hemicellulose bioconversion. *J. Ind. Microbiol. Biotechnol.*, **30**, 279-291.
- Sánchez C., 2009. Lignocellulosic residues: biodegradation and bioconversion by fungi. *Biotechnol. Adv.*, **27**(2), 185-194.
- Saxena R., Adhikari D. & Goyal H., 2009. Biomass-based energy fuel through biochemical routes: a review. *Renewable Sustainable Energy Rev.*, **13**, 167-178.
- Xu F., Sun J., Liu C. & Sun R., 2008. Comparative study of alkali- and acidic organic solvent-soluble hemicellulosic polysaccharides from sugarcane bagasse. *Carbohydr. Res.*, **341**, 253-261.

### Fétuque (*Festuca arundinacea* Schreb.)

- Coleman S., Hart S. & Sahlu T., 2003. Relationships among forage chemistry, rumination and retention time with intake and digestibility of hay by goats. *Small Ruminant Res.*, **50**, 129-140.
- Lema M., Felix A. & Dorsey J., 2000. Lamb production and forage quality under a forage system consisting of AU Triumph tall fescue and Tifton 44 bermudagrass. *Small Ruminant Res.*, **37**, 249-253.
- Turner J. et al., 2003. Changes in nutritive value of tall fescue hay as affected by natural rainfall and moisture concentration at baling. *Anim. Feed Sci. Technol.*, **109**, 47-63.

### Maïs fibre (*Zea mays* L.)

- Amaducci S., Amaducci M.T., Benati R. & Venturi G., 2000. Crop yield and quality parameters of four annual fibre crops (hemp, kenaf, maize and sorghum) in the North of Italy. *Ind. Crops Prod.*, **11**, 179-186.

### Miscanthus (*Miscanthus* sp.)

- Agence de l'Environnement et de la Maîtrise de l'Énergie, 1998. *Étude Agrice. Miscanthus*. Angers, France : ADEME.
- Magid J., Luxhoi J. & Lyshede O., 2004. Decomposition of plant residues at low temperatures separates turnover of nitrogen and energy rich tissue components in time. *Plant Soil*, **258**, 351-365.
- Marin F. et al., 2009. Semichemical pulping of *Miscanthus giganteus*. Effect of pulping conditions on some pulp and paper properties. *Bioresour. Technol.*, **100**, 3933-3940.
- Yoshida M. et al., 2008. Effects of cellulose crystallinity, hemicellulose, and lignin on the enzymatic hydrolysis of *Miscanthus sinensis* to monosaccharides. *Biosci. Biotechnol. Biochem.*, **72**(3), 805-810.

### Paille d'avoine (*Avena sativa* L.)

- Fan L. & Lee Y.-H., 2006. The nature of lignocellulosics and their pretreatments for enzymatic hydrolysis. *Adv. Biochem. Eng. Biotechnol.*, **23**, 157-187.
- Graminha E. et al., 2008. Enzyme production by solid-state fermentation: application to animal nutrition. *Anim. Feed Sci. Technol.*, **144**, 1-22.
- Kuhad R., Singh A. & Eriksson K.-E., 1997. Microorganisms and enzymes involved in the degradation of plant fiber cell walls. *Adv. Biochem. Eng. Biotechnol.*, **57**, 45-125.
- Sánchez C., 2009. Lignocellulosic residues: biodegradation and bioconversion by fungi. *Biotechnol. Adv.*, **27**(2), 185-194.
- Van Soest P., 2006. Rice straw, the role of silica and treatments to improve quality. *Anim. Feed Sci. Technol.*, **130**, 137-171.

### Paille de blé (*Triticum aestivum* L.)

- Coleman S., Hart S. & Sahlu T., 2003. Relationships among forage chemistry, rumination and retention time with intake and digestibility of hay by goats. *Small Ruminant Res.*, **50**, 129-140.
- Demirbas A., 2003. Relationships between lignin contents and fixed carbon contents of biomass samples. *Energy Convers. Manage.*, **44**, 1481-1486.
- Demirbas A., 2005. Bioethanol from cellulosic materials: a renewable motor fuel from biomass. *Energy Sources*, **21**, 327-337.
- Fan L. & Lee Y.-H., 2006. The nature of lignocellulosics and their pretreatments for enzymatic hydrolysis. *Adv. Biochem. Eng. Biotechnol.*, **23**, 157-187.
- Gaitán-Hernández R. et al., 2006. Bioconversion of agrowastes by *Lentinula edodes*: the high potential of viticulture residues. *Appl. Microbiol. Biotechnol.*, **71**, 432-439.
- Graminha E. et al., 2008. Enzyme production by solid-state fermentation: application to animal nutrition. *Anim. Feed Sci. Technol.*, **144**, 1-22.

- Hoebler C., Barry J.-L., David A. & Delort-Laval J., 1989. Rapid acid hydrolysis of plant cell wall polysaccharides and simplified quantitative determination of their neutral monosaccharides by gas-liquid chromatography. *J. Agric. Food Chem.*, **37**, 360-367.
- Kabel M. et al., 2007. Effect of pretreatment severity on xylan solubility and enzymatic breakdown of the remaining cellulose from wheat straw. *Bioresour. Technol.*, **98**, 2034-2042.
- Klink H., Ahring B., Schmidt A. & Thomsen A., 2002. Characterization of degradation products from alkaline wet oxidation of wheat straw. *Bioresour. Technol.*, **82**, 15-26.
- Kuhad R., Singh A. & Eriksson K.-E., 1997. Microorganisms and enzymes involved in the degradation of plant fiber cell walls. *Adv. Biochem. Eng. Biotechnol.*, **57**, 45-125.
- McKendry P., 2002. Energy production from biomass. 1. Overview of biomass. *Bioresour. Technol.*, **83**, 37-46.
- Merino S. & Cherry J., 2007. Progress and challenges in enzyme development for biomass utilization. *Adv. Biochem. Eng. Biotechnol.*, **108**, 95-120.
- Muller-Hagedorn M. & Bockhorn H., 2007. Pyrolytic behaviour of different biomasses (angiosperms) (maize plants, straws, and wood) in low temperature pyrolysis. *J. Anal. Appl. Pyrolysis*, **79**, 136-146.
- Nigam N., 2001. Ethanol production from wheat straw hemicellulose hydrolysate by *Pichia stipitis*. *J. Biotechnol.*, **87**, 17-27.
- Olsson L. & Hahn-Hagerdal B., 1996. Fermentation of lignocellulosic hydrolysates for ethanol production. *Enzyme Microb. Technol.*, **18**, 312-331.
- Pauly M. & Keegstra K., 2008. Cell-wall carbohydrates and their modification as a resource for biofuels. *Plant J.*, **54**, 559-568.
- Prasad S., Singh A. & Joshi H., 2007. Ethanol as an alternative fuel from agricultural, industrial and urban residues. *Resour. Conserv. Recycling*, **50**, 1-39.
- Saha B., 2003. Hemicellulose bioconversion. *J. Ind. Microbiol. Biotechnol.*, **30**, 279-291.
- Sánchez C., 2009. Lignocellulosic residues: biodegradation and bioconversion by fungi. *Biotechnol. Adv.*, **27**(2), 185-194.
- Schell D. et al., 1991. A technical and economic analysis of acid-catalyzed steam explosion and dilute sulfuric acid pretreatments using wheat straw or Aspen wood chips. *Appl. Biochem. Biotechnol.*, **28/29**, 87-97.
- Sun Y. & Cheng J., 2002. Hydrolysis of lignocellulosic materials for ethanol production: a review. *Bioresour. Technol.*, **83**, 1-11.
- Sun X. et al., 2005. Characteristics of degraded hemicellulosic polymers obtained from steam exploded wheat straw. *Carbohydr. Polym.*, **60**, 15-26.
- Van Soest P., 2006. Rice straw, the role of silica and treatments to improve quality. *Anim. Feed Sci. Technol.*, **130**, 137-171.
- Paille de maïs grain (*Zea mays* L.)**
- Demirbas A., 2005. Bioethanol from cellulosic materials: a renewable motor fuel from biomass. *Energy Sources*, **21**, 327-337.
- Graminha E. et al., 2008. Enzyme production by solid-state fermentation: application to animal nutrition. *Anim. Feed Sci. Technol.*, **144**, 1-22.
- Karp A. & Shield I., 2008. Bioenergy from plants and the sustainable yield challenge. *New Phytol.*, **179**, 15-32.
- Kim T. & Lee Y., 2005. Pretreatment and fractionation of corn stover by ammonia recycle percolation process. *Bioresour. Technol.*, **96**, 2007-2013.
- Kumar R., Mago G., Balan V. & Wyman C., 2009. Physical and chemical characterizations of corn stover and poplar solids resulting from leading pretreatment technologies. *Bioresour. Technol.*, **100**, 3948-3962.
- Merino S. & Cherry J., 2007. Progress and challenges in enzyme development for biomass utilization. *Adv. Biochem. Eng. Biotechnol.*, **108**, 95-120.
- Panagiotou G., Kekos D., Macris B. & Christakopoulos P., 2003. Production of cellulolytic and xylanolytic enzymes by *Fusarium oxysporum* grown on corn stover in solid state fermentation. *Ind. Crops Prod.*, **18**, 37-45.
- Pauly M. & Keegstra K., 2008. Cell-wall carbohydrates and their modification as a resource for biofuels. *Plant J.*, **54**, 559-568.
- Saha B., 2003. Hemicellulose bioconversion. *J. Ind. Microbiol. Biotechnol.*, **30**, 279-291.
- Stelle B., Raj S., Nghiem J. & Stowers M., 2005. Enzyme recovery and recycling following hydrolysis of ammonia fiber explosion-treated corn stover. *Appl. Biochem. Biotechnol.*, **121-124**, 901-910.
- Yan L. et al., 2009. Dilute sulfuric acid cycle spray flow-through pretreatment of corn stover for enhancement of sugar recovery. *Bioresour. Technol.*, **100**, 1803-1808.
- Zhao J. & Xia L., 2009. Simultaneous saccharification and fermentation of alkaline-pretreated corn stover to ethanol using a recombinant yeast strain. *Fuel Process. Technol.*, **90**(10), 1193-1197.
- Paille d'orge (*Hordeum vulgare* L.)**
- Abate D. & Melaku S., 2009. Effect of supplementing urea-treated barley straw with lucerne or vetch hays on feed intake, digestibility and growth of Arsi Bale sheep. *Trop. Anim. Health Prod.*, **41**, 579-586.
- Castlo C., Fondevila M., Guada J. & de Vega A., 1995. Effect of ammonia treatment and carbohydrate supplementation on the intake and digestibility of barley straw diets by sheep. *Anim. Feed Sci. Technol.*, **51**, 73-90.
- De Lopez S., Tissot M. & Delmas M., 1995. Integrated cereal straw valorization by an alkaline pre-extraction of hemicellulose prior to soda-anthraquinone pulping. Case study of barley straw. *Biomass Bioenergy*, **10**(4), 201-221.

- Fan L. & Lee Y.-H., 2006. The nature of lignocellulosics and their pretreatments for enzymatic hydrolysis. *Adv. Biochem. Eng. Biotechnol.*, **23**, 157-187.
- Goto M. & Yokoe Y., 1996. Ammoniation of barley straw. Effect on cellulose crystallinity and water-holding capacity. *Anim. Feed Sci. Technol.*, **58**, 239-247.
- Gaitán-Hernández R. et al., 2006. Bioconversion of agrowastes by *Lentinula edodes*: the high potential of viticulture residues. *Appl. Microbiol. Biotechnol.*, **71**, 432-439.
- Graminha E. et al., 2008. Enzyme production by solid-state fermentation: application to animal nutrition. *Anim. Feed Sci. Technol.*, **144**, 1-22.
- Kuhad R., Singh A. & Eriksson K.-E., 1997. Microorganisms and enzymes involved in the degradation of plant fiber cell walls. *Adv. Biochem. Eng. Biotechnol.*, **57**, 45-125.
- Madrid J., Hernandez F., Pulgar M. & Cid J., 1998. Effects of citrus by-product supplementation on the intake and digestibility of urea sodium hydroxide-treated barley straw in goats. *Small Ruminant Res.*, **28**, 241-248.
- Muller-Hagedorn M. & Bockhorn H., 2007. Pyrolytic behaviour of different biomasses (angiosperms) (maize plants, straws, and wood) in low temperature pyrolysis. *J. Anal. Appl. Pyrolysis*, **79**, 136-146.
- Rezaeian M., Beakes G. & Chaudhry A., 2005. Relative fibrolytic activities of anaerobic rumen fungi on untreated and sodium hydroxide treated barley straw in *in vitro* culture. *Anaerobe*, **11**, 163-175.
- Sánchez C., 2009. Lignocellulosic residues: biodegradation and bioconversion by fungi. *Biotechnol. Adv.*, **27**(2), 185-194.
- Stritzler N., Wolstrup J., Eggum B. & Jensen B., 1998. Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of cows fed fibre-rich diets II: the level of supplemental fishmeal. *Anim. Feed Sci. Technol.*, **70**, 11-22.
- Zaman M. et al., 2002. Performance and carcass characteristics of beef cattle fed diets containing silage from intercropped barley and annual ryegrass. *Anim. Feed Sci. Technol.*, **99**, 1-11.
- Van Soest P., 2006. Rice straw, the role of silica and treatments to improve quality. *Anim. Feed Sci. Technol.*, **130**, 137-171.
- composition of 15 varieties of European rice straw. *Anim. Feed Sci. Technol.*, **94**, 15-27.
- Fan L. & Lee Y.-H., 2006. The nature of lignocellulosics and their pretreatments for enzymatic hydrolysis. *Adv. Biochem. Eng. Biotechnol.*, **23**, 157-187.
- Graminha E. et al., 2008. Enzyme production by solid-state fermentation: application to animal nutrition. *Anim. Feed Sci. Technol.*, **144**, 1-22.
- Jin S. & Chen H., 2007. Near-infrared analysis of the chemical composition of rice straw. *Ind. Crops Prod.*, **26**, 207-211.
- Karimi K., Kheradmandinia S. & Taherzadeh M., 2006. Conversion of rice straw to sugars by dilute-acid hydrolysis. *Biomass Bioenergy*, **30**, 247-253.
- Kuhad R., Singh A. & Eriksson K.-E., 1997. Microorganisms and enzymes involved in the degradation of plant fiber cell walls. *Adv. Biochem. Eng. Biotechnol.*, **57**, 45-125.
- Merino S. & Cherry J., 2007. Progress and challenges in enzyme development for biomass utilization. *Adv. Biochem. Eng. Biotechnol.*, **108**, 95-120.
- Pauly M. & Keegstra K., 2008. Cell-wall carbohydrates and their modification as a resource for biofuels. *Plant J.*, **54**, 559-568.
- Prasad S., Singh A. & Joshi H., 2007. Ethanol as an alternative fuel from agricultural, industrial and urban residues. *Resour. Conserv. Recycling*, **50**, 1-39.
- Saha B., 2003. Hemicellulose bioconversion. *J. Ind. Microbiol. Biotechnol.*, **30**, 279-291.
- Shen H., Ni D. & Sundstø F., 1998. Studies on untreated and urea-treated rice straw from three cultivation seasons: 1. Physical and chemical measurements in straw and straw fractions. *Anim. Feed Sci. Technol.*, **73**, 243-261.
- Teramoto Y., Lee S.-H. & Endo T., 2009. Cost reduction and feedstock diversity for sulfuric acid-free ethanol cooking of lignocellulosic biomass as a pretreatment to enzymatic saccharification. *Bioresour. Technol.*, **100**, 4783-4789.
- Vadiveloo J. & Phang O., 1996. Differences in the nutritive value of two rice straw varieties as influenced by season and location. *Anim. Feed Sci. Technol.*, **61**, 247-258.
- Van Soest P., 2006. Rice straw, the role of silica and treatments to improve quality. *Anim. Feed Sci. Technol.*, **130**, 137-171.
- Zhang Q. & Cai W., 2009. Enzymatic hydrolysis of alkali-pretreated rice straw by *Trichoderma reesei* ZM4-F3. *Biomass Bioenergy*, **32**(12), 1130-1135.
- Zhu S. et al., 2005. Pretreatment by microwave/alkali of rice straw and its enzymic hydrolysis. *Process Biochem.*, **40**, 3082-3086.

#### **Paille de riz (*Oryza sativa* L.)**

- Abedinifar S., Karimi K., Khanahmadi M. & Taherzadeh M., 2009. Ethanol production by *Mucor indicus* and *Rhizopus oryzae* from rice straw by separate hydrolysis and fermentation. *Biomass Bioenergy*, **33**, 828-833.
- Abou-El-Enin O., Fadel J. & Mackill D., 1999. Differences in chemical composition and fibre digestion of rice straw with, and without, anhydrous ammonia from 53 rice varieties. *Anim. Feed Sci. Technol.*, **79**, 129-136.
- Agbagla-Dohnani A., Nozière P., Clément G. & Doreau M., 2001. In sacco degradability, chemical and morphological

#### **Paille de seigle (*Secale cereale* L.)**

- Fan L. & Lee Y.-H., 2006. The nature of lignocellulosics and their pretreatments for enzymatic hydrolysis. *Adv. Biochem. Eng. Biotechnol.*, **23**, 157-187.

- Kuhad R., Singh A. & Eriksson K.-E., 1997. Microorganisms and enzymes involved in the degradation of plant fiber cell walls. *Adv. Biochem. Eng. Biotechnol.*, **57**, 45-125.
- Sánchez C., 2009. Lignocellulosic residues: biodegradation and bioconversion by fungi. *Biotechnol. Adv.*, **27**(2), 185-194.

#### **Panic érigé (*Panicum virgatum* L.)**

- Howard R., Abotsi E., Jansen van Rensburg E. & Howard S., 2003. Lignocellulose biotechnology: issues of bioconversion and enzyme production. *Afr. J. Biotechnol.*, **2**(12), 602-619.
- Lemus R. et al., 2002. Biomass yield and quality of 20 switchgrass populations in southern Iowa, USA. *Biomass Bioenergy*, **23**, 433-442.
- Lemus R. et al., 2008. Effects of nitrogen fertilization on biomass yield and quality in large fields of established switchgrass in southern Iowa, USA. *Biomass Bioenergy*, **32**, 1187-1194.
- Karp A. & Shield I., 2008. Bioenergy from plants and the sustainable yield challenge. *New Phytol.*, **179**, 15-32.
- Lynd L., Wyman C. & Gerngross T., 1999. Biocommodity engineering. *Biotechnol. Prog.*, **15**, 777-793.
- McKendry P., 2002. Energy production from biomass. 1. Overview of biomass. *Bioresour. Technol.*, **83**, 37-46.
- Merino S. & Cherry J., 2007. Progress and challenges in enzyme development for biomass utilization. *Adv. Biochem. Eng. Biotechnol.*, **108**, 95-120.
- Mok W. & Antal M., 1992. Uncatalyzed solvolysis of whole biomass hemicellulose by hot compressed liquid water. *Ind. Eng. Chem. Res.*, **31**, 1157-1161.
- Pauly M. & Keegstra K., 2008. Cell-wall carbohydrates and their modification as a resource for biofuels. *Plant J.*, **54**, 559-568.
- Prasad S., Singh A. & Joshi H., 2007. Ethanol as an alternative fuel from agricultural, industrial and urban residues. *Resour. Conserv. Recycling*, **50**, 1-39.
- Saha B., 2003. Hemicellulose bioconversion. *J. Ind. Microbiol. Biotechnol.*, **30**, 279-291.
- Sánchez C., 2009. Lignocellulosic residues: biodegradation and bioconversion by fungi. *Biotechnol. Adv.*, **27**(2), 185-194.
- Sun Y. & Cheng J., 2002. Hydrolysis of lignocellulosic materials for ethanol production: a review. *Bioresour. Technol.*, **83**, 1-11.

#### **Ray-grass italien (*Lolium multiflorum* Lam.)**

- Magid J., Luxhoi J. & Lyshede O., 2004. Decomposition of plant residues at low temperatures separates turnover of nitrogen and energy rich tissue components in time. *Plant Soil*, **258**, 351-365.
- Sánchez C., 2009. Lignocellulosic residues: biodegradation and bioconversion by fungi. *Biotechnol. Adv.*, **27**(2), 185-194.

- Stritzler N., Wolstrup J., Eggum B. & Jensen B., 1998. Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of cows fed fibre-rich diets II: the level of supplemental fishmeal. *Anim. Feed Sci. Technol.*, **70**, 11-22.

#### **Sorgho fibre (*Sorghum bicolor* (L.) Moench)**

- Amaducci S., Amaducci M.T., Benati R. & Venturi G., 2000. Crop yield and quality parameters of four annual fibre crops (hemp, kenaf, maize and sorghum) in the North of Italy. *Ind. Crops Prod.*, **11**, 179-186.
- Dolciotti I., Mambelli S., Grandi S. & Venturi G., 1998. Comparison of two *Sorghum* genotypes for sugar and fiber production. *Ind. Crops Prod.*, **7**, 265-272.

#### **Sorgho fourrager (*Sorghum bicolor* (L.) Moench)**

- Corredor D. et al., 2009. Evaluation and characterization of forage *Sorghum* as feedstock for fermentable sugar production. *Appl. Biochem. Biotechnol.*, **158**(1), 164-179.
- Miron J. et al., 2005. Yield, composition and *in vitro* digestibility of new forage sorghum varieties and their ensilage characteristics. *Anim. Feed Sci. Technol.*, **120**, 17-32.
- Miron J. et al., 2007. Field yield, ensiling properties and digestibility by sheep of silages from two forage sorghum varieties. *Anim. Feed Sci. Technol.*, **136**, 203-215.
- Yosef E. et al., 2009. Characteristics of tall *versus* short-type varieties of forage sorghum grown under two irrigation levels, for summer and subsequent fall harvests, and digestibility by sheep of their silages. *Anim. Feed Sci. Technol.*, **152**, 1-11.

#### **Chanvre (*Cannabis sativa* L.)**

- Amaducci S., Amaducci M.T., Benati R. & Venturi G., 2000. Crop yield and quality parameters of four annual fibre crops (hemp, kenaf, maize and sorghum) in the North of Italy. *Ind. Crops Prod.*, **11**, 179-186.
- Cappelletto P. et al., 2001. Italy-grown hemp: yield, composition and cannabinoid content. *Ind. Crops Prod.*, **13**, 101-113.
- Nykter M. et al., 2008. Effects of thermal and enzymatic treatments and harvesting time on the microbial quality and chemical composition of fibre hemp (*Cannabis sativa* L.). *Biomass Bioenergy*, **32**, 392-399.
- Thomsen A. et al., 2006. Effects of chemical physical pre-treatment processes on hemp fibres for reinforcement of composites and for textiles. *Ind. Crops Prod.*, **24**, 113-118.
- Thygesen A., Thomsen A., Daniel G. & Lilholt H., 2007. Comparison of composites made from fungal defibrated hemp with composites of traditional hemp yarn. *Ind. Crops Prod.*, **25**, 147-159.

Toonen M. et al., 2004. Predicting the chemical composition of fibre and core fraction of hemp (*Cannabis sativa* L.). *Euphytica*, **140**, 39-45.

#### **Kenaf (*Hibiscus cannabinus* L.)**

Amaducci S., Amaducci M.T., Benati R. & Venturi G., 2000. Crop yield and quality parameters of four annual fibre crops (hemp, kenaf, maize and sorghum) in the North of Italy. *Ind. Crops Prod.*, **11**, 179-186.

#### **Hêtre (*Fagus sylvatica* L.)**

Demirbas A., 2003. Relationships between lignin contents and fixed carbon contents of biomass samples. *Energy Convers. Manage.*, **44**, 1481-1486.

Kuhad R., Singh A. & Eriksson K.-E., 1997. Microorganisms and enzymes involved in the degradation of plant fiber cell walls. *Adv. Biochem. Eng. Biotechnol.*, **57**, 45-125.

Pauly M. & Keegstra K., 2008. Cell-wall carbohydrates and their modification as a resource for biofuels. *Plant J.*, **54**, 559-568.

#### **Peuplier (*Populus* sp.)**

Iranmahboob J., Nadim F. & Monemi S., 2002. Optimizing acid-hydrolysis: a critical step for production of ethanol from mixed wood chips. *Biomass Bioenergy*, **22**, 401-404.

Kumar R., Mago G., Balan V. & Wyman C., 2009. Physical and chemical characterizations of corn stover and poplar solids resulting from leading pretreatment technologies. *Bioresour. Technol.*, **100**, 3948-3962.

Merino S. & Cherry J., 2007. Progress and challenges in enzyme development for biomass utilization. *Adv. Biochem. Eng. Biotechnol.*, **108**, 95-120.

Mok W. & Antal M., 1992. Uncatalyzed solvolysis of whole biomass hemicellulose by hot compressed liquid water. *Ind. Eng. Chem. Res.*, **31**, 1157-1161.

#### **Saule (*Salix* sp.)**

Karp A. & Shield I., 2008. Bioenergy from plants and the sustainable yield challenge. *New Phytol.*, **179**, 15-32.

Olsson L. & Hahn-Hagerdal B., 1996. Fermentation of lignocellulosic hydrolysates for ethanol production. *Enzyme Microb. Technol.*, **18**, 312-331.

#### **Douglas (*Pseudotsuga* sp.)**

Iranmahboob J., Nadim F. & Monemi S., 2002. Optimizing acid-hydrolysis: a critical step for production of ethanol from mixed wood chips. *Biomass Bioenergy*, **22**, 401-404.

Kuhad R., Singh A. & Eriksson K.-E., 1997. Microorganisms and enzymes involved in the degradation of plant fiber cell walls. *Adv. Biochem. Eng. Biotechnol.*, **57**, 45-125.

Teramoto Y., Lee S.-H. & Endo T., 2009. Cost reduction and feedstock diversity for sulfuric acid-free ethanol cooking of lignocellulosic biomass as a pretreatment to enzymatic saccharification. *Bioresour. Technol.*, **100**, 4783-4789.

#### **Epicea (*Picea* sp.)**

Demirbas A., 2003. Relationships between lignin contents and fixed carbon contents of biomass samples. *Energy Convers. Manage.*, **44**, 1481-1486.

Didderen I., Destain J. & Thonart P., 2008. *Le bioéthanol de seconde génération : la production d'éthanol à partir de biomasse lignocellulosique*. Gembloux, Belgique : Les Presses agronomiques de Gembloux.

Pauly M. & Keegstra K., 2008. Cell-wall carbohydrates and their modification as a resource for biofuels. *Plant J.*, **54**, 559-568.

Olsson L. & Hahn-Hagerdal B., 1996. Fermentation of lignocellulosic hydrolysates for ethanol production. *Enzyme Microb. Technol.*, **18**, 312-331.